5

10

25

- 1. A composition comprising an E6 or E7 protein or E6/E7 fusion protein from HPV optionally linked to an immunological fusion partner, and an immunomodulatory CpG oligonucleotide.
- 2. A composition as claimed in claim 1 wherein the fusion partner is selected from the group; protein D or a fragment thereof from Heamophilius influenzae B, lipoprotein D or fragment thereof from Heamophilius influenzae B, NS1 or fragment thereof from Influenzae Virus, and LYTA or fragment thereof from Streptococcus Prisumoniae.
- 3. A composition as claimed in claim 1 or 2 wherein the E6 or E7 proteins are derived from HPV16 or HPV18.
- 4. A composition as claimed in claim 1, 2 or 3 wherein the E7 protein is mutated.
- A composition as claimed in claim 1, 2 or 3 wherein the E6 protein is mutated.
- 6. A composition as claimed in any of claims 1 to 5 additionally comprising a histidine tag of at least 4 histidine residues.
 - 7. A composition as claimed herein comprising an additional HPV antigen.
 - 8. A composition as claimed herein where the immumodulatory CpG oligonucleotide comprises a hexager motif: purine purine cytosine guaine pyrimidine pyrimidine.
- 9. A composition as claimed herein wherein the immunomodulatory CpG oligonucleotide has two or more CpG motifs.
 - 10. A composition as claimed herein wherein the CpG oligonucleotide contains a phosphorothioate inter-nucleotide linkage.
 - 11. A composition as claimed herein wherein the CpG oligonucleotide is selected from the group:

OLIGO 1: TCC ATG ACG TTC CTG ACG TT

WO 99/33868 PCT/EP98/08563

OLIGO 2: TCT CCC AGC GTG CGC CAT OLIGO 3: ACC GAT GAC GTC GCC GGT GAC GGC ACC ACG

12. A composition as claimed herein for use in medicine.

- A method of inducing an immune response in a patient to an HPV antigen comprising administering a safe and effective amount of a composition as claimed herein.
 - 14. A method of preventing or treating HPV induced tumours in a patient comprising administering a safe and effective amount of a composition as claimed herein.
 - 15. A method of preparing a composition as claimed herein, comprising admixing an E6, E7 or E6/E7 fusion protein optionally linked to an immunological fusion partner, and an immunomodulatory CpG oligonucleotide.

10